	elease 2001/04/02 : CIA-RD	99149-5
22* 116		NPIC PROJECT NO.
18 65 K 902 , Cl KUL	CONFIDENTIAL	- Responsible Component
	CLASSIFICATION	- Composien
CEIPT OCB/OS	SUPPORT/SERVICE REQUIRE	DISSEMINATED OCB/OS
	5017011725111725	
he following into is requ	ired when rqmts are levied	by external organizations
		CONTROL NO.
		PHONE
C DIV/DETACH PROCESSING IN	DDTODITOV	DATE REQUIRED
PPORT REQUESTED OF	- FRIORITI	
The following into is requ	ired when rqmts are levied	for internal support)
	OF RGMT_ 31 May 1965	
	PROJ OFF	- 1 cont > < 4 A
	DATE REQUIRED	
IORITY	DATE REQUIRED	20 TEDROART 1900
Non-photo interpretation Informal report (memo);	in support of a departmental on project. It will result; E Basic service only. High Rrecision Stereo Compa	
Non-photo interpretation Informal report (memo);	on project. It will result; E Basic service only.	in: Hard copy report,
Non-photo interpretation Informal report (memo); Project Description: SPECIFIC SUPPORT/SERVICE Photographic; Representation Report Photographic; Representation Report Photographic; Representation Re	en project. It will result Basic service only. High Rrecision Stereo Compa E REQUESTED: Support from a coduction; Mensuration; (Include statement as to	nn: hard copy report, arator
Non-photo interpretation Informal report (memo); Project Description: SPECIFIC SUPPORT/SERVICE Photographic; Reproduction below) support component(s); i.e. Monitor High Preci	E REQUESTED: Support from coduction; Mensuration; (Include statement as to e., number of contact print ision Stereo Comparator Dev	NPIC will probably consist of: Graphics; ADP; Editing estimated amount of work required so, enlargements, boards, etc.)
Non-photo interpretation Informal report (memo); Project Description: SPECIFIC SUPPORT/SERVICE Photographic; Representation Report Support component(s); i.e.	E REQUESTED: Support from coduction; Mensuration; (Include statement as to e., number of contact print ision Stereo Comparator Dev	NPIC will probably consist of: Graphics; ADP; Editing estimated amount of work required so, enlargements, boards, etc.)
Non-photo interpretation Informal report (memo); Project Description: SPECIFIC SUPPORT/SERVICE Photographic; Reproduction below) support component(s); i.e. Monitor High Preci	E REQUESTED: Support from coduction; Mensuration; (Include statement as to e., number of contact print ision Stereo Comparator Dev	NPIC will probably consist of: Graphics; ADP; Editing estimated amount of work requires, enlargements, boards, etc.) Telop,ent Program with and
Non-photo interpretation Informal report (memo); Project Description: SPECIFIC SUPPORT/SERVICE Photographic; Reproduction below) support component(s); i.e. Monitor High Preci	E REQUESTED: Support from coduction; Mensuration; (Include statement as to e., number of contact print ision Stereo Comparator Dev	NPIC will probably consist of: Graphics; ADP; Editing estimated amount of work requires, enlargements, boards, etc.) Telop,ent Program with and
Non-photo interpretation Informal report (memo); Project Description: SPECIFIC SUPPORT/SERVICE Photographic; Reproduction below) support component(s); i.e. Monitor High Preci	E REQUESTED: Support from coduction; Mensuration; (Include statement as to e., number of contact print ision Stereo Comparator Dev	NPIC will probably consist of: Graphics; ADP; Editing estimated amount of work requires, enlargements, boards, etc.) Telop,ent Program with and
Non-photo interpretation Informal report (memo); Project Description: SPECIFIC SUPPORT/SERVICE Photographic; Reproduction below) support component(s); i.e. Monitor High Preci	E REQUESTED: Support from coduction; Mensuration; (Include statement as to e., number of contact print ision Stereo Comparator Dev	NPIC will probably consist of: Graphics; ADP; Editing estimated amount of work requires, enlargements, boards, etc.) Telop,ent Program with and
Non-photo interpretation Informal report (memo); Project Description: SPECIFIC SUPPORT/SERVICE Reproserved Photographic; Reproserved Photographic; Support component(s); i.e. Monitor High Preceptage recommendation for	en project. It will result Basic service only. High Rrecision Stereo Compa E REQUESTED: Support from eduction; Mensuration; (Include statement as to e., number of contact print ision Stereo Comparator Devor follow-up on program.	NPIC will probably consist of: Graphics; ADP; Editing estimated amount of work requires, enlargements, boards, etc.) Telop,ent Program with and 25X1A
Non-photo interpretation Informal report (memo); Project Description: SPECIFIC SUPPORT/SERVICE Reproserved Photographic; Reproserved Photographic; Support component(s); i.e. Monitor High Preceptage recommendation for	on project. It will result; M Basic service only. High Rrecision Stereo Compa E REQUESTED: Support from aduction; Mensuration; (Include statement as to e., number of contact print ision Stereo Comparator Devor follow-up on program. (If immediate support is recognized.)	NPIC will probably consist of: Graphics; ADP; Editing estimated amount of work requires, enlargements, boards, etc.) Telop,ent Program with and
Non-photo interpretation Informal report (memo); Project Description: SPECIFIC SUPPORT/SERVICE Photographic; Reprosented below support component(s); i.e. Monitor High Preciprepare recommendation for prepare recommendation for the support component of the support component of the support recommendation for the support recommendation for the support recommendation for the support recommendation for the support component of the support recommendation for the support recommendation for the support of the support	on project. It will result; M Basic service only. High Rrecision Stereo Compa E REQUESTED: Support from aduction; Mensuration; (Include statement as to e., number of contact print ision Stereo Comparator Devor follow-up on program. (If immediate support is recognized.)	NPIC will probably consist of: Graphics; ADP; Editing estimated amount of work requires, enlargements, boards, etc.) Telop,ent Program with and 25X1A
Non-photo interpretation Informal report (memo); Project Description: SPECIFIC SUPPORT/SERVICE Photographic; Reprosented below support component(s); i.e. Monitor High Preciprepare recommendation for prepare recommendation for the support component of the support component of the support recommendation for the support recommendation for the support recommendation for the support recommendation for the support component of the support recommendation for the support recommendation for the support of the support	on project. It will result; E Basic service only. High Rrecision Stereo Compa E REQUESTED: Support from coduction; Mensuration; (Include statement as to e., number of contact print ision Stereo Comparator Devor follow-up on program. (If immediate support is recognized.)	NPIC will probably consist of: Graphics; ADP; Editing estimated amount of work requireds, enlargements, boards, etc.) relop,ent Program with and 25X1A
Non-photo interpretation Informal report (memo); Project Description: SPECIFIC SUPPORT/SERVICE Photographic; Reprosented below support component(s); i.e. Monitor High Preciprepare recommendation for prepare recommendation for the support component of the support component of the support recommendation for the support recommendation for the support recommendation for the support recommendation for the support component of the support recommendation for the support recommendation for the support of the support	on project. It will result; E Basic service only. High Rrecision Stereo Compa E REQUESTED: Support from coduction; Mensuration; (Include statement as to e., number of contact print ision Stereo Comparator Devor follow-up on program. (If immediate support is recognized.)	NPIC will probably consist of: Graphics; ADP; Editing estimated amount of work requires, enlargements, boards, etc.) Telop,ent Program with and 25X1A
Non-photo interpretation Informal report (memo); Project Description: SPECIFIC SUPPORT/SERVICE Photographic; Reprosupport component(s); i.e. Monitor High Preciprepare recommendation for prepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare re	on project. It will result; E Basic service only. High Rrecision Stereo Compa E REQUESTED: Support from coduction; Mensuration; (Include statement as to e., number of contact print ision Stereo Comparator Devor follow-up on program. (If immediate support is recognized.)	NPIC will probably consist of: Graphics; ADP; Editing estimated amount of work requireds, enlargements, boards, etc.) relop,ent Program with and 25X1A
Non-photo interpretation Informal report (memo); Project Description: SPECIFIC SUPPORT/SERVICE Photographic; Reprosupport component(s); i.e. Monitor High Preciprepare recommendation for prepare recommendation for the made on this form.) DATE OF COMPLETION	on project. It will result; E Basic service only. High Rrecision Stereo Compa E REQUESTED: Support from coduction; Mensuration; (Include statement as to e., number of contact print ision Stereo Comparator Devor follow-up on program. (If immediate support is recognized.)	NPIC will probably consist of: Graphics; ADP; Editing estimated amount of work requireds, enlargements, boards, etc.) relop,ent Program with and 25X1A
Non-photo interpretation Informal report (memo); Project Description: SPECIFIC SUPPORT/SERVICE Photographic; Reprosupport component(s); i.e. Monitor High Preciprepare recommendation for prepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare recommendation for the support component (s); i.e. Monitor High Preciprepare re	E REQUESTED: Support from coduction; Mensuration; — (Include statement as to e., number of contact print ision Stereo Comparator Devor follow-up on program. (If immediate support is representations of the contact print is in the contact print in the contact print in the contact print is in the contact print in the contact print in the contact print is in the contact print	NPIC will probably consist of: Graphics; ADP; Editing estimated amount of work requireds, enlargements, boards, etc.) relop,ent Program with and 25X1A